

## About the department

We currently offer a Monday to Friday service for ultrasound.

We perform a variety of ultrasound examinations including: musculo-skeletal, abdominal, gynaecological, renal, head and neck. Ultrasound guided injections or fine needle aspirations are also undertaken. We do not offer obstetric scans at this site.


## How should I prepare for an ultrasound?

For some examinations you may be required to have a full bladder and/or an empty stomach for the examination. Sometimes, the ultrasound scan may require no preparation. Please read your instructions carefully.

## What can I expect to happen?

The ultrasound scan does not usually hurt but requires the sonographer to apply gel to your skin, place an ultrasound probe (transducer) on your body and apply some pressure to ensure a good contact.

Ultrasound scans take approximately 20 minutes. An ultrasound guided aspiration or ultrasound guided injection may take longer at around 30 minutes.



## How does ultrasound work?

In an ultrasound examination, a transducer sends and receives sound waves. When the transducer is pressed against the skin, it directs small pulses of inaudible, high-frequency sound waves into the body.

As the sound waves bounce off internal organs, fluids and tissues, the sensitive microphone in the transducer records tiny changes in the sound's pitch and direction. These signature waves are instantly measured and displayed by a computer as black and white pixels, which in turn creates a real-time picture on the monitor. One or more frames of the moving pictures are typically captured as still images. Short video loops of the image may also be saved.

**Doppler ultrasound**, a special application of ultrasound, measures the direction and speed of blood cells as they move through vessels. Doppler ultrasound at QVH is used for diagnosing deep vein thrombosis.

**Ultrasound guided fine needle aspiration (FNA)** uses ultrasound to identify the area that needs a cell sample. Local anaesthetic is injected and then using an aspiration needle, a sample of tissue/cells is taken. Sometimes multiple samples will be taken in order to get as many cells as possible so that histology can make an accurate diagnosis.

An ultrasound guided steroid injection is used to try and improve patient's symptoms of pain from several conditions that may affect your joints/muscles such as bursitis or tendinopathy.

## Contact details

Should you have any further questions or queries, please do not hesitate to contact us.

Feedback about this leaflet is appreciated

### Radiology Department

Tel: 01342 414249

## Ultrasound

### Radiology Services at Queen Victoria Hospital (QVH)

Please ask if you  
would like this leaflet  
in larger print or a  
different format.

Radiology Department  
Issue 1 – Ref: no. 0598  
Approved by the Patient Information Group  
Published December 2017 Review November 2020

© Copyright QVH NHS Foundation Trust

[qvh.nhs.uk](http://qvh.nhs.uk)

